

Wisacoll® WS 1250

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name	Wisacoll WS 1250
Item number	WS 1250.5 WS 1250.1,2
BAG-Register number (CH)	CPID: 1015764-61

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesive
Uses advised against	All applications that are not explained in this technical data sheet.
Field for application [SU]	SU22 – Commercial use: Public domain (administration, education, entertainment, services, trade)

1.3 Details of the supplier of the safety data sheet

Supplier	Wisabax AG Kleb- und Dichtstoffe	
Address	Grossmatte 21 / Postfach CH-6014 Luzern-Littau	
Phone	+41 (0)41 250 18 18	
Email	info@wisabax.ch	
URL	www.wisabax.ch	
Information contact	Technical Dept. - Mr B. Wicki Environment Dept. - Mrs E. Svets	

1.4 Emergency telephone number

24h emergency number (just possible in switzerland)	Tel. 145	
Tox Info Suisse (ancient swiss toxicological informations centre) For emergencies from all the countries 24h accessible in german, french, italian oder english. For not urgent cases see www.toxinfo.ch.	Tel. +41 (0)44 251 51 51	

2. Hazards identification

2.1 Classification of the substance or mixture according to (EC) Nr. 1272/2008 (CLP). omitted

2.2 Labelling according to Regulation (EC) Nr. 1272/2008 (CLP)

Pictograms(e)	omitted
Signal word(s)	omitted
Hazard warning(s) [H-statements]	omitted
Additionally recommended safety precautions [P-statements] for sale to private consumers	P102 Keep out of reach of children. P101 If medical advice is needed, have product container or label at hand. P501 Dispose of contents / container in accordance with regional regulations.
Special marking(s) [EUH-Phrases]	EUH208 Contains reaction mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210 Safety data sheet available on request.

2.3 Other hazards

Wisacoll® WS 1250

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.
The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

3. Composition/information on ingredients

3.1 Substances

This product is a mixture, for more see section 3.2.

3.2 Description of the mixture

Acrylate dispersions, fillers, and auxiliaries.

Relevant hazardous substances:

Content: < 0.0015 %

CAS No.: 55965-84-9 EG No.: 611-341-5 Index No.: 613-167-00-5 Reg. No. (REACH): 01-2120764691-48-XXXX	reaction mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) biocide abbreviation: C(M)IT/MIT M Factor Acute = 100 / M Factor Chronic = 100 SCL Eye Dam. 1: C>=0.6% SCL Eye Irrit. 2: 0.06%<=C<0.6% SCL Skin Corr. 1C: C>=0.6% SCL Skin Irrit. 2: 0.06%<=C<0.6% SCL Skin Sens. 1: C>=0.0015%	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; EUH071
--	--	--

Note: H-phrases and abbreviations are detailed in section 16.

4. First aid measures

4.1 Description of first aid measures

General information	Observe the general rules of first aid measures. Refresh occasionally your knowledge. If medical advice is required, have this safety data sheet, the packaging or the label ready.
Following inhalation	Supply fresh air. Loosen restrictive clothing. Place in a resting position. Consult a doctor depending on the symptoms.
Following skin contact	Generally, the product does not irritate the skin. Remove contaminated clothing immediately. Wash skin with much water and soap. Consult a doctor depending on the symptoms, if possible, show this container or label.
Following eye contact	Rinse open eyes for several minutes under running water. Depending on the symptoms (e.g. redness), consult an ophthalmologist. Remove contact lenses, if possible.
Following ingestion	Rinse mouth thoroughly with water. In case of persistent symptoms, consult doctor. Present this safety data sheet or product label. Drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting! In the event of vomiting, keep your head tilted forwards to prevent stomach contents from entering the lungs.

4.2 Most important symptoms and effects, both acute and delayed

See section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat by symptoms.

Wisacoll® WS 1250

5. Firefighting measures

5.1 Extinguishing media

Always adapt firefighting measures to the surroundings and the size of the fire.

Suitable extinguishing media: Water spray jet, Dry powder fire extinguishers, Alcohol-resistant foam, Carbon dioxide
--

Unsuitable extinguishing media: Full water jet
--

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire:
Carbon oxide. Toxic gases.

5.3 Advice for fire-fighters

Do not inhale combustion gases. Wear breathing apparatus with own air supply. Wear full protection depending on fire class.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Arrange for sufficient air supply.

6.2 Environmental precautions

Do not empty into drains. Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Mechanical remove and correct disposal of waste (cf. paragraph 13).

6.4 Reference to other sections

Personal protective equipment see section 8. Waste disposal see section 13.
Safe handling, see section 7.

7. Handling and storage

7.1 Precautions for safe handling

Avoid eye and skin contact. Eating, drinking, smoking, as well as food-storage, is prohibited in workspace. Notes note on the packaging and current technical data sheet.

Wash contaminated clothing before reuse. General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. Take off contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

To avoid the unauthorized and children and kept in a safe place.

7.3 Specific end uses

See section 1.2. - See technical data sheet and the product imprint.

Wisacoll® WS 1250

8. Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

CAS No.: 55965-84-9 EG No.: 611-341-5 Index No.: 613-167-00-5 Reg. No. (REACH): 01-2120764691-48-XXXX	reaction mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) biocide abbreviation: C(M)IT/MIT CH: MAC: 0.2 mg/m ³ (e) CH: STEL: 0.4 mg/m ³ (e) [25/Q2/4]
--	--

MAK = Maximum Workplace Concentration (TLV = Threshold Limit Value)

CH It's a swiss limit, edited by SUVA. If there is no limit from SUVA it's a work place limit (AGW) from Germany or another European state.

CAS No.: 55965-84-9 EG No.: 611-341-5 Index No.: 613-167-00-5 Reg. No. (REACH): 01-2120764691-48-XXXX	reaction mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) consumer: DNEL: 0.11 mg/kg bw/d [oral, short-term, systemic effects]; consumer: DNEL: 0.02 mg/m ³ [inhalative, long-term, local effects]; consumer: DNEL: 0.04 mg/m ³ [inhalative, short-term, local effects]; consumer: DNEL: 0.09 mg/m ³ [oral, long-term, systemic effects]; employee: DNEL: 0.02 mg/m ³ [inhalative, long-term, local effects]; employee: DNEL: 0.04 mg/m ³ [inhalative, short-term, local effects]; environment: PNEC: 0.00339 mg/l [fresh water]; environment: PNEC: 0.00339 mg/l [sea water]; environment: PNEC: 0.027 mg/kg dw [sediment, fresh water]; environment: PNEC: 0.027 mg/kg [sediment, seawater]; environment: PNEC: 0.01 mg/kg dw [soil]; environment: PNEC: 0.23 mg/l [microorganisms in wastewater treatment plants]; environment: PNEC: 0.0339 mg/kg [freshwater (intermittent release)] [24/Q2/4]
--	---

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation, e.g. by local suction, general exhaust air.

Comply with the workplace exposure limits.

If limits can't be adhered to, use appropriate respiratory protection.

8.2.2 Personal protective equipment

General data	Select personal protective equipment according to the CEN standards; discuss protective equipment with the supplier.
Eye/face protection	Safety glasses with side protection shield (EN 166). Eye wash facilities and emergency shower must be available when handling this product.
Hand-/Body protection	Avoid contact with your skin. If it's not available wear appropriate gloves.
Protective clothing	Wear suitable protective clothing.
Respiratory protection	Normally not needed.
Hygiene measures	Do not eat, drink or smoke while at work. Wash hands before breaks and after work.
Thermal hazards	Not applicable.



On the basis of the contents and our experience the following non-binding recommendations for the selection of the material of the protective gloves (minimum layer thickness: 0.4 mm):

Recommended glove material:	Nitrile rubber/Nitrile latex (NBR), Butyl rubber (Butyl), Polyvinyl chloride (PVC), Fluorinated rubber (FKM)
Inappropriate glove material:	Textile Materials

Wisacoll® WS 1250

The selection of suitable depends upon the material, and also upon the quality of the gloves. The degree of protection will vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the materials used for gloves cannot be predetermined; it is therefore necessary to check this before using the product.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

8.2.3 Environmental exposure controls

More information that is detailed is not available yet.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	white => colourless, transparent
Density	0.99 g/cm ³ (20 °C)
Viscosity	Ca. 17'000 mPa*s
Odour	Characteristic
Odour threshold	Not determined
pH-level	Ca. 5-7
Melting point/freezing point	Not determined
Initial boiling point/boiling range	Ca. 150 °C
Decomposition temperature	Not determined
Rate of evaporation	Not determined
Flashpoint	Non-flammable (>60 °C)
Auto-ignition temperature	Ca. 420 °C
Lower explosive limits	Not determined
Upper explosive limits	Not determined
Vapour pressure	Ca. 1'400 Pa (20 °C) Ca. 7'600 Pa (50 °C)
Vapour density (Air = 1)	Not determined
Explosive properties	The product is not explosive.
Oxidising properties	No

9.2 Other information

Solubility in / Miscibility with water.	Partially miscible in water
Solubility in / Miscibility in	Not determined
Partition coefficient n-Octanol/Water	Not determined
Conductivity	Not determined
VOC-content (EU)	0%
VOC-content (CH)	0%

10. Stability and reactivity

10.1 Reactivity

The product is not reactive under normal conditions.

10.2 Chemical stability

The product is stable when properly stored and handled.

10.3 Possibility of hazardous reactions

No effects are known if used as intended.

10.4 Conditions to avoid

No effects are known if used as intended.

10.5 Incompatible materials

Acids, Bases, Alkalies

10.6 Hazardous decomposition products

No decomposition if used according to specifications.

In case of fire or extreme heat, see section 5.2.

Wisacoll® WS 1250

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	> 2000 mg/kg
Acute toxicity (dermal)	> 2000 mg/kg
Acute toxicity (inhalativ)	> 20 mg/l/4h

The product does not require labelling to the analysis of the general classification regulation for preparation of the EU in the last edition.

According to our experience and information, the product does not cause any harmful effects on health if handled and used according to specifications.

11.2. Toxicological information of hazardous ingredients

CAS No.: 55965-84-9 EG No.: 611-341-5 Index No.: 613-167-00-5 Reg. No. (REACH): -	reaction mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) acute toxicity: LD50: 64 mg/kg [oral, rat]; acute toxicity: ATE: 53 mg/kg [oral]; acute toxicity: ATE: 50 mg/kg [dermal exposure route]; acute toxicity: LD50: 87 mg/kg [dermal exposure route, rat, OECD 402]; acute toxicity: LC50: 0.33 mg/l/4h [inhalative, rat, OECD 403, aerosol]; acute toxicity: ATE, 0.17 mg/l/4h [inhalative, aerosol]; acute toxicity: ATE, 0.5 mg/l/4h [inhalative, vapours]; corrosive/irritant effect on the skin: corrosiv [rabbit, OECD 404, Skin Corr. 1C]; serious eye damage/irritation: corrosiv [rabbit, OECD 404, Eye Dam. 1]; respiratory/skin sensitization: Ja (skin contact) [Guinea pig, Skin Sens. 1A, OECD 406]; germ cell mutagenicity: negative [mouse, OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test)]; germ cell mutagenicity: negative [rat, OECD 486 Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells In Vivo]; aspiration hazard: no; symptoms: diarrhoea, mucous membrane irritation, tearing of the eyes, redness of the eyes [24/Q1,2/4]
--	---

12. Ecological information

12.1 Toxicity

The product is not classified as dangerous for the environment.

Aquatic toxicity Germany (Self-classification): WGK 1 Slightly hazardous to water

12.2 Persistence and degradability

No information is available.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water	No information is available.
---------------------------------------	------------------------------

12.4 Mobility in soil

No information is available.

12.5 Results of PBT and vPvB assessment

See section 2.3.

12.6 Other adverse effects

Do not allow product to reach ground water, water course or sewage system.

12.7 Additional ecotoxicological information

CAS No.: 55965-84-9 EG No.: 611-341-5	reaction mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
--	---

Wisacoll® WS 1250

Index No.: 613-167-00-5 Reg. No. (REACH): 01-2120764691-48-XXXX	acute toxicity, fish: LC50: 0.22 mg/l/96h [Oncorhynchus mykiss, OECD 203]; acute toxicity, fish: NOEC/NOEL: 0.098 mg/l/28h [Oncorhynchus mykiss, OECD 210]; acute toxicity, fish: LC50: 0.28 mg/l/96h [Lepomis macrochirus]; acute toxicity, daphnia: NOEC/NOEL: 0.004 mg/l/21d [Daphnia magna, Krebstiere, OECD 211]; acute toxicity, daphnia: EC50: 0.1 - 0.16 mg/l/48h [Daphnia magna]; acute toxicity, algae: EC50: 0.048 mg/l/72h [Pseudokirchneriella subcapitata, OECD 201]; acute toxicity, algae: NOEC/NOEL: 0.0012 mg/l/72h [Pseudokirchneriella subcapitata, OECD 201]; acute toxicity, algae: NOEC/NOEL: 0.49 mg/l/48h [Skeletonema costatum, OECD 201]; acute bacteriotoxicity: EC50: 5.7 mg/l/16h [Pseudomonas putida]; acute bacteriotoxicity: EC50: 7.92 mg/l/3h [OECD 209, activated sludge]; acute bacteriotoxicity: EC20: 0.97 mg/l/3h [OECD 209, activated sludge]; persistence and degradability: >60 %/28d, easily biodegradable [activated sludge, OECD 301D]; bioaccumulative potential: BCF: 3.6 [calculated value]; bioaccumulative potential: Log Pow: 0.48, is not to be expected [OECD 107] [25/Q1, 5, 2/4]
--	--

13. Disposal considerations

13.1 Waste treatment methods

Waste disposal according to official state regulations.

Waste treatment options: 08 04 09 – Waste adhesives and sealants containing organic solvents or other dangerous substances. 08 04 10 – waste adhesives and sealants other than those mentioned in 08 04 09
Contaminated packages: Disposal must be made according to official regulations. If possible empty packaging completely. Packagings that cannot be cleaned are to be disposed off in the same manner as the product. Uncontaminated and cleaned packaging can be recycled.
The waste code numbers mentioned are recommendations based on the probable use of the product. The particular application and local disposal situation obtaining for the user may lead to other waste codes being assigned as well.

14. Transport information

14.1 UN-Number:

ADR, RID, ADN, IMDG, IATA: Not applicable

14.2 UN proper shipping name

ADR, RID, ADN, IMDG, IATA: Not applicable

14.3 Transport hazard class(es):

ADR, RID, ADN, IMDG, IATA: Not applicable	
---	--

14.4 Packing group:

ADR, RID, ADN, IMDG, IATA: Not applicable

14.5 Environmental hazards:

Dangerous to the environment: No

Marine pollutant: No

14.6 Special precautions for user:

Kemmler number:	Not applicable
EMS number:	Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Inapplicable

Wisacoll® WS 1250

14.8 Additional information:

ADR: LQ – Limited Quantities:	Not applicable
ADR: Transport category:	Not applicable
ADR: Tunnel restriction code:	Not applicable
UN "Model Regulation":	Inapplicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substances or mixture

Classification and labelling see section 2.

Classification of the preparation has been done by calculation or based on studies/test on the product itself or experience with similar mixtures.

Further national and further regulations, limitations and legal requirements

VOC content according to swiss VOC regulation (VOCV) see section 9.2.
Water hazard class (WGK) see section 12.1.
Chemicals regulation (ChemV), ordinance on chemicals risk reduction (ChemRRV), Luftreinhalte-Verordnung (LRV), Ordinance on protection against major accidents (StFV), professional association principles/industrial medicine regulations

15.2 Chemical Safety Assessment

A chemical safety assessment is not provided for mixtures.

16. Other information

Hazards used in the document (H-phrases):

H301 Toxic if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Other recommended sources for more information:

- Federal Office of Public Health (Switzerland): www.bag.admin.ch (German/French/Italian/English)

List of relevant abbreviations that may be used in the document:

Abbreviation	Full text / Meaning
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route (= European agreement concerning the international carriage of dangerous goods by road)
AGW, Spb.-Üf.	AGW = Arbeitsplatzgrenzwert (occupational limit value), Spb.-Üf. = Spitzenbegrenzung (peak limit) – Überschreitungsfaktor (exceedance factor) (1 bis 8) and category (I, II) for short-term values (TRGS 900, Germany)
AOEL	Acceptable Operator Exposure Level
Aquatic Acute	Hazardous to the aquatic environment - Acute
Aquatic Chronic	Hazardous to the aquatic environment – Chronic
Asp. Tox.	Aspiration hazard (Danger when inhaling)
ATE	Acute Toxicity Estimates
BAG	Office for health (Bundesamt für Gesundheit, Schweiz)
BAT	Biological tolerance values at the workplace (Biologische Arbeitsstofftoleranzwerte, Schweiz)
BG	Trade association (Berufsgenossenschaft)
BGR	Trade association regulations (Berufsgenossenschaftliche Regeln)
BGV	Trade association regulations (Berufsgenossenschaftliche Vorschrift)
Carz.	Carcinogenic substance
CAS-Nr.	Chemical Abstracts Service
CH	Swiss confederation (from the latin Confoederatio Helvetica)
CH: MAK:	Swiss limit of maximum allowable concentration, issued by the swiss accident insurance fund. (Schweizerischen Unfallversicherungsanstalt (SUVA))
CLP	Classification, Labelling and Packaging (REGULATION (EG) Nr. 1272/2008)
CPID	Chemical Product IDentification.
DMEL	Derived Minimum Effect Level
DNEL	Derived No Effect Level

Wisacoll® WS 1250

EG-Nr.	Substances of the EC material inventory, consisting of 7 digits (Syntax: XXX-XXX-X). Comprises waste materials (EINECS), new substances (ELINCS) as well as the No-Longer-Polymers-Liste (NLP-Liste).
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Irrit.	Eye irritant, depending on the category Eye irritation possible to serious eye damage.
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	International Air Transport Association
IMDG-Code	International Maritime Code for Dangerous Goods
Index-Nr.	Indexation of dangerous substances of appendix 5 in the VO(EG)1272/2008 (or annex I of directive 67/548/EWG) with the following syntax: XXX-XXX-XX-X
LC	Lethal concentration
LD	Lethal (fatal) dose
LD50	Lethal dose, 50%
Met. Corr.	On metal corrosive acting substance or mixture
Muta.	Substance with germ cell mutagenicity
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
Ozone	Hazardous for the ozone layer
PBT	Persistent, bioaccumulative, and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr. 1907/2006 zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe)
Repr.	Reproductive toxicity
Resp. Sens.	Sensitising for respiratory tract
SCL	Specific concentration limits
Skin Irrit.	Skin irritant – corrosive/irritant to skin
Skin Sens.	Sensitising for the skin
STOT RE	Specific target organ toxicity – repeated exposure
STOT SE	Specific target organ toxicity – single exposure
TRGS	Technical rules on hazardous substances
VOC	Volatile organic compounds
VOCV	VOC-regulation (Swiss)
vPvB	Very persistent and very bioaccumulative

Department issuing data specification sheet: See section 1.3.
This safety data sheet replaces all previous versions.

Disclaimer: The specifications rest on the today's stand of our knowledge. It does not constitute a legally binding assurance of specific product properties.

© **Wisabax AG** - Any publication/modification requires written approval from Wisabax AG. Created with the help of SDS (Safety Data Sheets), an in-house software solution designed to simplify the creation of multilingual SDS.